Contents

Microscopic theory of third-harmonic generation and electro-absorption in conjugated polymers 1
D. Guo, S. Mazumdar (Tucson, AZ, USA) and S. N. Dixit (Livermore, CA, USA)

Measurements of $\chi^{(3)}(\omega; \omega, -\omega, \omega)$ in conducting polymers at $\lambda = 620$ nm 13
K. S. Wong and Z. V. Vardeny (Salt Lake City, UT, USA)

Nonlinear optical probes of conjugated polymers. 21
D. Neher, W. E. Torruellas, K. B. Rochford, M. B. Marques, R. Zanoni, G. Assanto and G. I. Stegeman (Orlando, FL, USA)

Static and dynamic third-order susceptibilities in conjugated polymers: Huckel theory and VEH approach 37
Z. Shuai and J. L. Brédas (Mons, Belgium)

Frequency dependence of third-harmonic generation in *cis*- and *trans*-polyacetylene: importance of the degenerate ground state to nonlinear optical response 49
C. Halvorson, D. Moses, T. W. Hagler, Y. Cao and A. J. Heeger (Santa Barbara, CA, USA)

Interpreting the dispersion of $\chi^{(3)}(-3\omega; \omega, \omega, \omega)$ of polythiophenes. 59
J. S. Meth, H. Vanherzeele (Wilmington, DE, USA), W.-C. Chen and S. A. Jenekhe (Rochester, NY, USA)

Brownian oscillator analysis of femtosecond pump–probe spectroscopy of polydiacetylene. 71
W. B. Bosma, S. Mukamel (Rochester, NY, USA), B. I. Greene (Murray Hill, NJ, USA) and S. Schmitt-Rink (Marburg, Germany)

Gap states of iodine-doped β-carotene 77
E. Ehrenfreund, T. W. Hagler, D. Moses, F. Wudl and A. J. Heeger (Santa Barbara, CA, USA)

Quantum lattice motion and optical properties of polyenes. 83
J. Kim and W. P. Su (Houston, TX, USA)

Photothermal deflection spectroscopy of conjugated polymers. 91
C. H. Seager, M. Sinclair (Albuquerque, NM, USA), D. McBranch, A. J. Heeger (Santa Barbara, CA, USA) and G. L. Baker (Red Bank, NJ, USA)

Thermal activation of photoinduced defects in an intermediate strength quasi-one-dimensional charge density wave solid: PtBr. 99
R. J. Donohoe (Los Alamos, NM, USA), C. A. Arrington (Greenville, SC, USA) and B. I. Swanson (Los Alamos, NM, USA)

Optical properties of MX chain materials: an extended Peierls–Hubbard model 109
A. R. Bishop, I. Batistić, J. T. Gammel and A. Saxena (Los Alamos, NM, USA)

Excitation energy dependence of the photoluminescence from self-trapped excitons in halogen-bridged mixed-valence platinum complexes 117
K. Aida, J. Takeda and S. Kurita (Yokohama, Japan)

Nonlinear spectroscopy on one-dimensional excitons in conjugated polymer polydiacetylenes 123
T. Hasegawa, K. Ishikawa, T. Koda (Tokyo, Japan), K. Takeda (Tsukuba, Ibaraki, Japan), H. Kobayashi and K. Kubodera (Atsugi, Kanagawa, Japan)

Frequency dependence of third-order nonlinear susceptibilities in polyarylenevinylene thin films 131
H. Murata, N. Takada, T. Tsutsui, S. Saito (Fukuoka, Japan), T. Kurihara and T. Kaino (Naka-gun, Ibaraki, Japan)

Frequency dependence of two-photon resonance and damping in polymers. 141
X. Sun (Shanghai, People's Republic of China), K. Nasu (Okazaki, Japan), C. Wu (Trieste, Italy), L. Li (Shanghai, People's Republic of China), D. L. Lin and T. F. George (Buffalo, NY, USA)

Picosecond waveguide modulation in conjugated polymers 147
D. McBranch, M. Sinclair, A. Hays, D. Moses and A. J. Heeger (Santa Barbara, CA, USA)

Time-resolved fluorescence of polyaniline 159
J. R. G. Thorne, J. G. Masters, S. A. Williams, A. G. MacDiarmid and R. M. Hochstrasser (Philadelphia, PA, USA)

Optical nonlinearity in coupled exciton–phonon systems near metal surfaces . . . 167
X. Li, D. L. Lin (Buffalo, NY, USA) and T. F. George (Washington, WA, USA)

On the tight-binding theory of C_{60}. 175
D. Guo and S. Mazumdar (Tucson, AZ, USA)

Geometric and electronic structure and nonlinear optical properties of push–push and pull–pull conjugated systems 181
F. Meyers and J. L. Brédas (Mons, Belgium)

Femtosecond two-photon absorption and Raman resonances in polydiacetylene yellow solutions 187
V. Philippart, M. Dumont (Orsay, France), J. M. Nunzi and F. Charra (Gif-sur-Yvette, France)

Optical absorption of molecular aggregates under the influence of coloured noise. 195
P. Reineker, B. Kaiser, A. M. Jayannavar and Ch. Warns (Ulm, Germany)

Influence of the conditions of the solid state formation on the optical spectra and concentration of defects in polyacetylene 203
V. M. Kobryanskii (Moscow, Russia)

(Hyper)polarizabilities in infinite polymers: the saturation problem. 211
G. P. Das (Dayton, OH, USA) and D. S. Dudis (Wright Patterson Air Force Base, OH, USA)

Effect of topological defects and site impurities in conjugated polymer chains. 221
G. Rossi (Dearborn, MI, USA)

Semi-empirical SCF calculations of the geometrical and electronic structures of quasi-particles in polyacetylene. 231
J. Medrano and D. S. Dudis (Dayton, OH, USA)

Resonating Hartree–Fock theory of a one-dimensional electronic system 239
S. Yamamoto (Kyoto, Japan), A. Takahashi (Yamaguchi, Japan) and H. Fukutome (Kyoto, Japan)

Optical absorption spectra and polarons for three-dimensional *trans*-polyacetylene 245
X. Wang and D. K. Campbell (Los Alamos, NM, USA)

Band structure and physical properties of an organic conductor (BEDT-TTF)$_4$Cu(C$_2$O$_4$)$_2$ 253
P. Wang, T. Mori, S. Bandow, Y. Maruyama (Okazaki, Japan), X. Wang, B. Chen, D. Zhu (Beijing, China), K. Tsujikawa, K. Suzuki and T. Enoki (Tokyo, Japan)

Magnetic resonance experiments on undoped and doped poly(*para*-phenylene) . . . 261
Chang Qing Jin, Liu Kun Wang and Yang An Liu (Changchun, People's Republic of China)

Excited stationary states of small polarons. 267
H. Chen (Salt Lake City, UT, USA)

Linear optical properties of a series of linear polyenes: implications for polyacetylene 271
R. R. Chance, H. Schaffer (Linden, NJ, USA), K. Knoll, R. Schrock and R. Silbey (Cambridge, MA, USA)

Spectroscopic studies of polydiacetylenes: Raman evidence for surface phases on single crystals 281
S. Hankin, D. J. Sandman, E. A. Yost and T. J. Stark (Waltham, MA, USA)

Theoretical structural characterization of polydiethynylsilane — a new nonlinear optical material 293
S. Grigoras, G. C. Lie (Midland, MI, USA), T. J. Barton, S. Ijadi-Maghsoodi, Y. Pang, J. Shinar (Ames, IA, USA), Z. V. Vardeny, K. S. Wong and S. G. Han (Salt Lake City, UT, USA)

Vibrational properties of poly(arylene vinylene)s 305
J. P. Buisson, S. Lefrant, G. Louarn, J. Y. Mévellec, I. Orion (Nantes, France) and H. Eckhardt (Morristown, NJ, USA)

Picosecond transient Raman scattering in polydiacetylene 4-BCMU films 313
L. X. Zheng, R. E. Benner, Z. V. Vardeny (Salt Lake City, UT, USA) and G. L. Baker (Red Bank, NJ, USA)

Picosecond photoinduced transient resonant Raman scattering in *cis*-rich polyacetylene 321
G. Lanzani (Genoa, Italy), L. X. Zheng, R. E. Benner and Z. V. Vardeny (Salt Lake City, UT, USA)

Dynamics of photoexcitations in polyacetylene: picosecond transient Raman scattering. 329
E. Mulazzi and A. Ripamonti (Milan, Italy)

Raman characterization of polarons, bipolarons and solitons in conducting polymers 335
Y. Furukawa, A. Sakamoto, H. Ohta and M. Tasumi (Tokyo, Japan)

Exciton versus band description of the absorption, luminescence and electroabsorption of poly(phenylphenylenevinylene) and poly(dodecylthiophene) 341
H. Bässler, M. Gailberger, R. F. Mahrt, J. M. Oberski and G. Weiser (Marburg, Germany)

Optical bandgaps from *ab initio* methods: an examination of the singlet–triplet approximation 353
D. S. Dudis (Wright Patterson Air Force Base, OH, USA)

Interchain polaron transport in *trans*-polyacetylene 359
E. M. Conwell, H.-Y. Choi (Rochester, NY, and Webster, NY, USA) and S. Jeyadev (Webster, NY, USA)

Please note that the page numbering for these Proceedings is continuous throughout Volumes 49 and 50, and Author and Subject Indexes will be published at the end of Volume 50.